

致: 集友銀行有限公司(「銀行」)

To: Chiyu Banking Corporation Limited ("the Bank")

## 首席使用者申請保安編碼器及重設狀態表格

## Security Device Application and Status Reset Form for Primary User

銀行專用 For Bank use only				
客戶號:				
開戶銀行/分行號:039 /				
覆核 1	覆核 2	經辦	S.V.	

Scouri	ij 20,100 iippiiouoion unu .	3 <b>444</b> 8 <b>116</b> 8 <b>4</b> 7 <b>1 1 1 1 1 1</b>			
企業網上銀	银行客戶名稱(「客戶」)				
	Corporate Internet Banking				
	("Customer")				
企業網上鈕	银行號碼				
Corporate	Internet Banking No.:				
使用者姓	名 (英文)				
User's Na	me (English):				
使用者代别	虎				
User ID:					
聯絡人		電	話		
Contact Po	erson:	Te	l No.:		
申請保安	· ·編碼器及原因 (請在適當方格內加	∏ ├"✓"號)			
	for Security Device and reason (Plea		ble)		
<b>FF</b> -78					
	新申請 <sup>(註1及2,如適用)</sup>	低電量 (註3)	電量耗盡 <sup>(註3)</sup>		
_	New Application (Note 1 & 2, if app	Low Battery (Note 3)	Out of Battery (Note 3)		
	── 損毀 <sup>(註 3)</sup>	遺失	其他		
	Damaged (Note 3)	Lost	Other(s):		
「重					
	eset Security Device Status				
頁表 Requ 註 3. 如屬 be waived 注意事項 R 1. 請客 order Device 2. 請將	· 格下載內下載。Note 2: If user's cest Form" when applying for Security D 損毀、低電量及電量耗盡,請將原保 if submitting this application form with the demarks: 戶確保賬戶具有足夠資金以支付有關保 for the Bank to issue the Security Devices, the Application, otherwise the application	e-Certificate is lost or damaged, please evice. The form can be downloaded th 安編碼器在二個月內退回,更換費戶 he damaged, low battery or out of battery exacts a battery or out of battery or out of battery exacts a	用電子證書申請表格"。表格可於集友銀行網 also submit the "Termination of use of e-Certificate trough Chiyu Banking website Download Forms. 用將獲豁免。Note 3: The replacement fee will ery Security Device within 2 months.  , 保安編碼器才會安排發送,否則申請將失效。In cient funds in the account to pay the charges of Security e original of this form to any of our branches or		
	簽署,簽署日期為 and on behalf of the Customer on	年 Year 月	Month 日 Day S.V.		
企業網上鈕	限行被授權簽字人 Corporate Intern	et Banking Authorised Signatory	y(ies)		
	e: §署須根據客戶之企業網上銀行被授權 orm should be signed by Authorised Sig		gement of the Customer.		
地 址 Address:					
熱線 Hotline:	企業網上銀行 CBS Online	(852) 2840 1600			